




STRANGULATION IN INTIMATE PARTNER VIOLENCE FACT SHEET

STRANGULATION: the obstruction of blood vessels and/or airflow in the neck resulting in asphyxia.

 **1 in 4** women will experience intimate partner violence (IPV) in their lifetime.

Of women who experience IPV...

10% experience near-fatal strangulation by their partner.



Loss of consciousness can occur within 5 - 10 seconds. Death within minutes.¹



are strangled manually (with hands).¹



report losing consciousness.²



are strangled along with sexual assault/abuse.³ **9%** are also pregnant.²




of strangled women believed they were going to die.⁴

And odds for homicide increase **750%**


for victims who have been previously strangled, compared to victims who have never been strangled.⁵

HOWEVER...

Oftentimes, even in fatal cases, there are **NO EXTERNAL SIGNS** of injury.¹



Only half of victims have visible injuries



Of these, only 15% could be photographed

STRANGULATION

SIGNS AND SYMPTOMS⁸

CONSEQUENCES⁷

- NEUROLOGICAL**
- Loss of memory
 - Behavioral changes
 - Loss of sensation
 - Extremity weakness
 - Headaches
 - Fainting
 - Urination
 - Defecation
 - Vomited
 - Dizziness

- EYES & EYELIDS**
- Petechiae to eyeball
 - Petechiae to eyelid
 - Bloody red eyeball(s)
 - Vision changes
 - Droopy eyelid

- FACE**
- Petechiae (tiny red spots - slightly red or florid)
 - Scratch marks
 - Facial drooping
 - Swelling

- CHEST**
- Chest pain
 - Redness
 - Scratch marks
 - Bruising
 - Abrasions

- VOICE & THROAT CHANGES**
- Raspy or hoarse voice
 - Unable to speak
 - Trouble swallowing
 - Painful to swallow
 - Clearing the throat
 - Coughing
 - Nausea
 - Drooling
 - Sore throat

- SCALP**
- Petechiae
 - Bald spots (from hair being pulled)
 - Bump to the head (from blunt force trauma or falling to the ground)

- EARS**
- Ringing in ears
 - Petechiae on earlobe(s)
 - Bruising behind the ear
 - Bleeding in the ear

- MOUTH**
- Bruising
 - Swollen tongue
 - Swollen lips
 - Cuts/abrasions
 - Internal Petechiae

- NECK**
- Redness
 - Scratch marks
 - Finger nail impressions
 - Bruising (thumb or fingers)
 - Swelling
 - Ligature Marks

- BREATHING CHANGES**
- Difficulty breathing
 - Respiratory distress
 - Unable to breathe

PSYCHOLOGICAL INJURY

PTSD, depression, suicidal ideation, memory problems, nightmares, anxiety, severe stress reaction, amnesia, and psychosis.

DELAYED FATALITY

Death can occur days or weeks after the attack due to carotid artery dissection and respiratory complications such as pneumonia, ARDS and the risk of blood clots traveling to the brain (embolization).

Today,
45 States
have legislation
AGAINST
STRANGULATION⁶

VAWA 2013
added strangulation
and suffocation to
FEDERAL LAW

1 Strack, G.B., McClane, G.E., & Hawley, D. (2001). A review of 300 attempted strangulation cases: Part I: Criminal Legal Issues. *Journal of Emergency Medicine*, 21(3), 303-309.

2 Shields et al. (2010). Living victims of strangulation: A 10-year review of cases in a metropolitan community. *American Journal of Forensic Medical Pathology*, 31, 320-325.

3 Plattner, T. et al. (2005). Forensic assessment of survived strangulation. *153 Forensic Science International* 202

4 Wilbur, L. et al. (2001). Survey results of women who have been strangulated while in an abusive relationship. *21J. Emergency Medicine* 297.

5 Glass et al. (2008). Non-fatal strangulation is an important risk factor for homicide of women. *The Journal of Emergency Medicine*, 35(3), 329-335.

6 Mack, M. States with strangulation legislation. A product of the Training Institute on Strangulation Prevention. www.strangulationpreventioninstitute.com

7 Funk, M. & Schuppel, J. (2003) Strangulation injuries. *Wisconsin Medical Journal*, 102(3), 41-45.

8 Taliaferro, E., Hawley, D., McClane, G.E. & Strack, G. (2009), Strangulation in Intimate Partner Violence. *Intimate Partner Violence: A Health-Based Perspective*. Oxford University Press, Inc.



TRAINING INSTITUTE
on
STRANGULATION
PREVENTION

a program of Alliance for HOPE International

101 W. Broadway, Suite 1770,
San Diego, CA 92101
1-888-511-3522

StrangulationTrainingInstitute.com

The Illinois Criminal Justice Information Authority gratefully acknowledges Alliance for HOPE International for allowing us to reproduce, in part or in whole, the Strangulation in Intimate Partner Violence Fact Sheet. The documents were accessed through the online Resource Library hosted by the Training Institute on Strangulation Prevention. Certain documents and products were supported in part with funding from the Office on Violence Against Women in the U.S. Department of Justice. This website and a portion of the documents in this Resource Library are supported in part by Grants No 2014-TA-AX-K008 and No 2016-TA-AX-K067 awarded by the Office on Violence Against Women, U.S. Department of Justice. The opinions, findings, conclusions, and recommendations expressed in this publication/program/exhibition are those of the author(s) and do not necessarily reflect the views of the Department of Justice, Office on Violence Against Women.